



iMaint 4.0 System Requirements

iMaint Application Server

Component	Requirement
Processor	2 GHz or higher recommended
Memory	1 GB minimum; 3 GB recommended
Hard Disk	2 GB for base installation; 5 GB recommended for full installation
Operating System	Windows Server 2008 or higher recommended
Display	Super VGA supporting 1024 x 768 or higher required
Applications	IIS (SMTP must be enabled for work request notifications) Microsoft .NET Framework 4.0

iMaint Database Server (Microsoft SQL 2005 or higher)**

Component	Requirement
Processor	2 GHz or higher recommended
Memory	1 GB minimum; 4 GB recommended
Hard Disk	1 GB for SQL Server; 5 GB for storage and operation of average iMaint database
Operating System	Windows Server 2008 or higher recommended
Display	Super VGA supporting 1024 x 768 or higher recommended

**Please reference the system requirements and configuration guidelines as specified by Microsoft for SQL Server

iMaint Cloud Server (If licensed)

Component	Requirement
Processor	2 GHz or higher recommended
Memory	1 GB minimum; 3 GB recommended
Hard Disk	1 GB minimum; 3 GB recommended
Operating System	Windows Server 2008 or higher recommended
Display	Super VGA supporting 1024 x 768 or higher required
Applications	IIS 6.0 or greater; Microsoft .NET Framework 4.0

iMaint Mobile Server (required for iMaint Mobile for Android/iOS Only)

Component	Requirement
Processor	2 GHz or higher recommended
Memory	1 GB minimum; 3 GB recommended
Hard Disk	1 GB minimum; 3 GB recommended
Operating System	Windows Server 2008 or higher recommended
Display	Super VGA supporting 1024 x 768 or higher required
Applications	IIS 6.0 or greater; Microsoft .NET Framework 4.0



iMaint 4.0 System Requirements

iMaint Client

Component	Requirement
Processor	2 GHz or higher recommended
Memory	1 GB minimum; 3 GB recommended
Hard Disk	1 GB minimum; 3 GB recommended
Operating System	Windows 7 or higher
Display	Super VGA supporting 1024 x 768 or higher required
Applications	Microsoft .NET Framework 4.0 Microsoft ClickOnce plug-in is required if using Chrome or Firefox & iMaint Cloud Client

Compatibility

DPSI is a Microsoft Certified Partner. This relationship provides us with early access to Windows and SQL Server releases. As such, it's our standard practice to test and support all new releases from Microsoft when publicly available. If you have questions regarding a specific component, please contact customer support at 1-877-777-0431.

iMaint is compatible with Windows Server 2008 R2, and Windows 7. iMaint is also Citrix Ready for Citrix XenApp 6.0 and 6.5. Configure a Citrix Server to give end users access to the full iMaint application on any device using XenApp. Citrix XenApp is an on-demand application delivery solution that enables any Windows application to be virtualized, centralized, and managed in the datacenter and instantly delivered as a service to users anywhere on any device. Citrix Receiver is a lightweight software client that makes accessing virtual applications and desktops on any device easy. If you have iMaint published in a Citrix XenApp environment, you can install the Citrix Receiver app via the Apple App Store or Android market and you will be able to access any published applications, such as iMaint.

iMaint Optional Add-on Products

iMaint Requesters

Purchasing and work requests performed over the internet using a web browser.

Component	Requirement
Internet	May be installed on your server, the iMaint Web Server or the iMaint Application Server. Microsoft IIS 6.0 or greater is required for these optional components. Internet Explorer 8.0 or greater Compatibility mode may be required for newer versions of Internet Explorer



iMaint 4.0 System Requirements

iMaint Mobile for Android

A mobile version of iMaint for users working on the go with Android devices.

Component	Requirement
Operating System	Android 2.3 and above
Memory	50 Mb Minimum free
Display	Android Phone - Orientation support: Portrait, supported screen resolutions: 480 x 800, 480 x 854, 720 x 1280, 1080 x 1920 Android Tablet - Orientation support: Portrait, supported screen resolutions: 1024 x 600, 1280 x 800
Applications	Microsoft .NET Framework 4.0 for the server component of iMaint Mobile Microsoft IIS 6.0 or greater is required for the server component of iMaint Mobile.
Barcode	iMaint uses linear barcode Symbology Code 39. iMaint Mobile uses any laser jet printer to print label reports designed for Avery 5160 (1" x 2- 5/8"), Avery 5162 (1- 1/3" x 4") and Avery 5163 (2" x 4") sheet labels, a Part label report specifically for Zebra model TLP/2824 printing 1" x 4.25" roll of labels and an Asset label report designed for Zebra TLP 2844 printing 1.25" x 2" roll of labels. Custom reports can be created for an additional cost.

iMaint Mobile for iOS

A mobile version of iMaint for users working on the go with Apple devices.

Component	Requirement
Operating System	iPhone, iPad, iPod – iOS 5.0 and above
Memory	50 Mb Minimum free
Display	Orientation support: Portrait
Applications	Microsoft .NET Framework 4.0 for the server component of iMaint Mobile Microsoft IIS 6.0 or greater is required for the server component of iMaint Mobile.
Barcode	iMaint uses linear barcode Symbology Code 39. iMaint Mobile uses any laser jet printer to print label reports designed for Avery 5160 (1" x 2- 5/8"), Avery 5162 (1- 1/3" x 4") and Avery 5163 (2" x 4") sheet labels, a Part label report specifically for Zebra model TLP/2824 printing 1" x 4.25" roll of labels and an Asset label report designed for Zebra TLP 2844 printing 1.25" x 2" roll of labels. Custom reports can be created for an additional cost.

iMaint Mobile for Windows

A mobile version of iMaint for users working on the go with Windows based devices.

Component	Requirement
Operating System	Pocket PC 2003, Windows Mobile 5, Windows Mobile 6 (Touch Screen Editions)
Memory	32 MB minimum, 128 Mb recommended
Display	320 x 240 QVGA or greater
Applications	Synchronization software will be needed for devices that are not connecting wirelessly to the database. ActiveSync 4.1 for Windows XP, Windows Mobile Device Center for



iMaint 4.0 System Requirements

Windows Vista and greater.

Microsoft .NET Compact Framework 4.0

Barcode

iMaint uses linear barcode Symbology Code 39. iMaint Mobile uses any laser jet printer to print label reports designed for Avery 5160 (1" x 2- 5/8"), Avery 5162 (1- 1/3" x 4") and Avery 5163 (2" x 4") sheet labels, a Part label report specifically for Zebra model TLP/2824 printing 1" x 4.25" roll of labels and an Asset label report designed for Zebra TLP 2844 printing 1.25" x 2" roll of labels. Custom reports can be created for an additional cost.

iMaint Dashboard

A desktop summary of iMaint transactions displayed in real-time.

Component	Requirement
Processor	2 GHz or higher recommended
Memory	1 GB minimum; 3 GB recommended
Hard Disk	1 GB minimum; 3 GB recommended
Operating System	Windows 7 or higher
Display	Super VGA supporting 1024 x 768 or higher required
Applications	Microsoft .NET Framework 4.0

iMaint Integrators

Import and export data between iMaint and various other outside sources.

Component	Requirement
Processor	2 GHz or higher recommended
Memory	1 GB minimum; 3 GB recommended
Hard Disk	1 GB minimum; 3 GB recommended
Operating System	Windows 7 or higher
Display	Super VGA supporting 1024 x 768 or higher required
Applications	Microsoft .NET Framework 4.0 Microsoft ClickOnce plug-in is required if using Chrome or Firefox & iMaint Cloud Client

Windows® is a registered trademark of Microsoft. iPhone®, iPad®, iPod®, and iOS® are registered trademarks of Apple. Android® is a registered trademark of Google.

IMPORTANT NOTE:

All hardware and software, other than iMaint and their respective licenses, must be purchased separately through a vendor of your choosing. DPSI does not provide or distribute Operating Systems or Database Software licenses.